







In creating the modern, aesthetically pleasing and ergonomic design of the CURVA range we did not lose sight of the need to produce a true value for money product offering the upmost appeal to installers and end users alike.

Only the best quality raw materials were used in producing this durable, attractive and modern range of accessories which will adorn the walls of all manner of buildings for years to come.

Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB

Telephone: 01827 63454

E-mail: sales@scolmore.com, technical@scolmore.com

Facsimile: 01827 63362





Product Range		
Non-Isolated Coaxial & Satellite Socket Outlets (Unshielded)		
CCA065	Single Non-Isolated Coaxial Socket Outlet	
CCA066	Twin Non-Isolated Coaxial Socket Outlet	
CCA156	Single Non-Isolated Satellite Socket Outlet	
CCA170	Non-Isolated Satellite & Non-Isolated Coaxial Socket Outlet	

Isolated Coaxial & Satellite Socket Outlets (Unshielded)	
CCA157	Isolated Satellite & Isolated Coaxial Socket Outlet
CCA158	Single Isolated Coaxial Socket Outlet
CCA159	Twin Isolated Coaxial Socket Outlet















Errors & Omissions excluded. Specification is subject to change without notice.


V1.0


Facsimile: 01827 63362








Product Dimensional Drawings (mm)


















Errors & Omissions excluded. Specification is subject to change without notice.

Facsimile: 01827 63362







Wiring Diagrams




CCA156, CCA158





CCA157, CCA159, CCA170



Facsimile: 01827 63362





Technical Specification		
TV & Satellite Socket Outlets		
Material Composition	Front Plate: Urea	
Back Box Depth	16mm - 47mm	
Warranty	10 Years	
Anti Microbial Certified	Yes	
IP Rating	IP20	
Operational Temperature	-5° to +40°C	
Standards	The Low Voltage Directive 2006/95/EC	
	BS 5733:1995	
	Modified ISO 22196	

Additional Information

Non-Isolated: Direct connection to aerial where two way signal is required i.e. Receiver/Decoders. **Isolated:** Incoming signal is allowed to pass through from the aerial but the return signal is blocked i.e. communal dish or aerials.

Screened: Connections in the plate are protected from external interferences.

All white moulded accessories are manufactured using Urea Formaldehyde, which has similar inherent properties to antimicrobial additives that inhibit the growth of infectious diseases. All products were independently tested and achieved a 99.9% kill rate across all four types of the strains of bacteria - MRSA, E-Coli, Salmonella, and Klebsiella Pneumoniae.

Facsimile: 01827 63362



Scolmote

Scolmore International Ltd

1 Scolmore Park: Landsberg Lichfield Road Industrial Estate Tamworth, Staffordshire B79 7XB

t: 01827 63454 f: 01827 63362

e: sales@scolmore.com

w: www.scolmore.com

DECLARATION OF CONFORMITY

1. Issuer Name Scolmore International Limited

Issuer Address
 Scolmore Park, Landsberg,

Lichfield Road Industrial Estate, Tamworth, Staffordshire, B79 7XB

3. Object(s) of Declaration Curva Range

a. Group Television & Satellite Socket Outlets

b. Model No. CCA065, CCA066, CCA156, CCA157, CCA158, CCA159, CCA170

4. The object of the declaration described above is in conformity with the requirements of the following Legislations:

Document No Title

2006/95/EC Low Voltage Directive

5. All products contained within the aforementioned comply with the relevant standards and requirements listed below.

BS 5733: 1995

6. I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.

In conjunction with the above all manufacture and process controls are in accordance with ISO 9001:2008

Signed, for and on behalf of: Scolmore International Limited

Section

Steven Bettson BSc - Senior Technical Support Engineer

CE13







