# seera L'





### **Round Pin Socket Outlets**



Range of Simply Stylish Wiring Accessories

Designed to provide a competitive, cost effective equivalent range of white moulded accessories with a sleek, slim design creating a moden aesthetic.

Manufactured from Polycarbonate with reinforced interior plates to ensure every product is robust, strong, durable and UV stabilised so that signs of ageing is not a problem.

Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB

**Telephone:** 01827 63454 **E-mail:** sales@scolmore.com, technical@scolmore.com

**Facsimile:** 01827 63362

Website: www.scolmore.com





### **Round Pin Socket Outlets**

### **Product Range**

**Round Pin Socket Outlets** 

**CPC034** 

15A 1 Gang Round Pin Switched Socket Outlet



CPC034

**Facsimile:** 01827 63362


Website: www.scolmore.com






### **Round Pin Socket Outlets**

## Product Dimensional Drawings (mm)



### **Product Wiring Diagram**



Errors & Omissions excluded. Specification is subject to change without notice.

V1.0

Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB





### **Round Pin Socket Outlets**

Round Pin Socket Outlets  Material Composition Front Plate & Switch: Polycarbonate Insert & Base: Polycarbonate	
Insert & Base: Polycarbonate	
Terminals: Brass Plated Steel	
Terminal Screws: Steel & Yellow Passivated	
Internal Mechanism: Formed Press Brass	
Silver "On-lay" Copper / Brass Contacts	
<b>Voltage</b> 250V∼ 50Hz	
Current Rating 15A	
Terminal Screw Size 4mm Ø	
Torque Value 1.2Nm	
<b>Cable Size</b> 4 x 2.5mm <sup>2</sup> , 2 x 4.0mm <sup>2</sup>	
Fixing Centres 60.3mm	
Back Box Depth 35mm	
Switched Yes (single pole)	
Warranty 10 Years	
Operational Temperature -5° to +40°C	
Standards BS 546: 1950	

#### **Additional Information**

Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product.

Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal.

Facsimile: 01827 63362

Website: www.scolmore.com



#### **Scolmore International Ltd**

1 Scolmore Park: Landsberg Lichfield Road Industrial Estate Tamworth, Staffordshire B79 7XB

t: 01827 63454 f: 01827 63362

e: sales@scolmore.com

w: www.scolmore.com



### **EU DECLARATION OF CONFORMITY**

1. Issuer Name Scolmore International Limited

2. Issuer Address 1 Scolmore Park, Landsberg,

Lichfield Road Industrial Estate, Tamworth, Staffordshire, B79 7XB

3. Object(s) of Declaration Seera Range

a. Group Round Pin Socket Outlets

b. *Model No.* CPC034

- 4. The object of the declaration described above is in conformity with the requirements of the following Legislations:
- 5. All products contained within the aforementioned comply with the relevant standards and requirements listed below.

BS 546: 1950

6. I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.

In conjunction with the above all manufacture and process controls are in accordance with ISO 9001:2015.

This declaration has been issued under the sole responsibility of the manufacturer, signed at, for and on behalf of: Scolmore International Limited

Karl Rawlins - Senior Technical Support Engineer







