
seera





UK Switched Socket Outlets



Range of Simply Stylish Wiring Accessories

Designed to provide a competitive, cost effective equivalent range of white moulded accessories with a sleek, slim design creating a moden aesthetic.

Manufactured from Polycarbonate with reinforced interior plates to ensure every product is robust, strong, durable and UV stabilised so that signs of ageing is not a problem.

Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB **Telephone:** 01827 63454 **Facsimile:** 01827 63362

E-mail: sales@scolmore.com, technical@scolmore.com

seera



UK Switched Socket Outlets

Product Ran	Product Range		
UK Switched So	UK Switched Socket Outlets		
CPC035	13A 1 Gang DP Switched Socket Outlet		
CPC035N	13A 1 Gang DP Switched Socket Outlet With Neon		
CPC036	13A 2 Gang DP Switched Socket Outlet		
CPC036N	13A 2 Gang DP Switched Socket Outlet With Neons		



CPC035



CPC036



CPC035N



CPC036N

Errors & Omissions excluded. Specification is subject to change without notice.

Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB

Telephone: 01827 63454 E-mail: sales@scolmore.com, technical@scolmore.com






UK Switched Socket Outlets

Product Dimensional Drawings (mm)




CPC036 & CPC036N




Product Wiring Diagram





CPC036 & CPC036N



Errors & Omissions excluded. Specification is subject to change without notice.

Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB

Telephone: 01827 63454 E-mail: sales@scolmore.com, technical@scolmore.com

seera



UK Switched Socket Outlets

Technical Specification	
UK Switched Socket Outlets	
Material Composition	Front Plate, Switch & Neon Lens: Polycarbonate
	Insert & Base: Polycarbonate
	Terminals: Brass Plated Steel
	Terminal Screws: Steel & Yellow Passivated
	Internal Mechanism: Formed Press Brass
	Silver "On-lay" Copper / Brass Contacts
Voltage	250V~ 50Hz
Current Rating	13A
Terminal Screw Size	4mm ø
Torque Value	1.2Nm
Cable Size	4 x 2.5mm², 2 x 4.0mm²
Fixing Centres	1 Gang: 60.3mm, 2 Gang: 120.6mm
Back Box Depth	35mm
Neon Indicator	Yes
Warranty	10 Years
Operational Temperature	-5° to +40°C
Standards	BS 1363-2: 2016

Additional Information

Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product.

Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal.

Errors & Omissions excluded. Specification is subject to change without notice.

V1.0

Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB

Telephone: 01827 63454 **E-mail:** sales@scolmore.com, technical@scolmore.com



Scolmore International Ltd

1 Scolmore Park: Landsberg Lichfield Road Industrial Estate Tamworth, Staffordshire B79 7XB

t: 01827 63454 f: 01827 63362 e: sales@scolmore.com w: www.scolmore.com

seera

EU DECLARATION OF CONFORMITY

- 1. Issuer Name
 Scolmore International Limited

 2. Issuer Address
 1 Scolmore Park, Landsberg,

 Lichfield Road Industrial Estate,
- 3. Object(s) of Declaration
 a. Group
 b. Model No.
 CPC035, CPC035N, CPC036 & CPC036N
- 4. The object of the declaration described above is in conformity with the requirements of the following Legislations:

Tamworth, Staffordshire, B79 7XB

5. All products contained within the aforementioned comply with the relevant standards and requirements listed below.

BS 1363-2: 2016

6. I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.

In conjunction with the above all manufacture and process controls are in accordance with ISO 9001:2015.

This declaration has been issued under the sole responsibility of the manufacturer, signed at, for and on behalf of: Scolmore International Limited

Karl Rawlins - Senior Technical Support Engineer





